

modül

Clai® elektrik modülleri; kablosuz bağlantı ve standart elektrik kutularıyla uyumlu tasarımı sayesinde pratik kurulum sunar. Modüllerimiz, mobil uygulama veya duvar panelleri aracılığıyla prizleri açıp kapatmaktan ışık seviyesini ayarlamaya; garaj kapısını, panjurları ve perdeleri otomatik senaryolarla kontrol etmekten ekstra cihaz entegrasyonuna kadar geniş bir kontrol imkânı sağlar. Belirli modellerde bulunan entegre akım ölçerler sayesinde gerçek zamanlı enerji tüketimini izleyip analiz eder, akıllı otomasyon senaryolarıyla hem konforu hem de tasarrufu maksimuma çıkarırsınız. Böylece modüllerimiz, evinizin her noktasında güvenilir, verimli ve kolay yönetilen bir akıllı yaşam deneyimi sunar.




Anahtar ve prizlerinden
vazgeçmeyenler
için!


clai




SMART SWITCH MODULE




ZAI-SSM-M1



ZAI-SSM-M2




ZAI-SSM-M3




ZAI-SSM-M4

Type	Smart Switch Module
Input Voltage	100-240VAC 50/60Hz
Max. Current	10A per Module
Power Rating	LED M1:250W / M2:2x150W / M3:3x150W / M4:4x150W
Standby Power	0.5W
Size	39,2*39,2*18mm


NO NEUTRAL SERIES




ZAI-SSM-NM1



ZAI-SSM-NM2




ZAI-SSM-NM3



ZAI-SSM-NM4

Type	Smart Switch Module
Input Voltage	100-240VAC 50/60Hz
Max. Current	10A per Module
Power Rating	LED 10-100W/ Gang
Standby Power	0.5W
Size	39,2*39,2*18mm





ZAI-SDM-1


Type	Light Dimmer Switch - 1 Gang
Input Voltage	100-240VAC 50/60Hz
Max. Current	10A/gang
Power Rating	LED150W
Standby Power	0.5W
Size	39,2*39,2*18mm



ZAI-SDM-2

Type	Light Dimmer Switch - 2 Gang
Input Voltage	100-240VAC 50/60Hz
Max. Current	10A/gang
Power Rating	Led 100W
Standby Power	0.5W
Size	39,2*39,2*18mm


Curtain-1



ZAI-SCM-C1

Type	Curtain Control Switch
Input Voltage	100-240VAC 50/60Hz
Max. Current	3A
Power Rating	660W
Standby Power	0.5W
Size	39,2*39,2*18mm


Curtain-2



ZAI-SCM-C2

Type	Curtain Control Switch
Input Voltage	100-240VAC 50/60Hz
Max. Current	3A/gang
Power Rating	2x660W
Standby Power	0.5W
Size	39,2*39,2*18mm

Garage Door




ZAI-SCM-GD

Type	Light Dimmer Switch
Input Voltage	100-240VAC 50/60Hz
Sensor	Yes
Working Temperature	-10°C~40°C
Standby Power	0.5W
Size	39,2*39,2*18mm



SMART CONTROL MODULE

Smart Relay



ZAI-SRL-NOC

Type	Smart Relay Module
Input Voltage	100-240VAC 50/60Hz
Max. Current	5A
Power Rating	LED 150W
Standby Power	0.5W
Size	39,2*39,2*18mm

Smart Switch-10A



ZAI-SSW-10

Type	Smart Switch
Input Voltage	90-250VAC 50/60Hz
Max. Current	10A
Power Rating	2200W
Standby Power	0.5W
Working Temperature	0°C~55°C

Smart Switch-30A



ZAI-SSW-30

Type	Smart Switch
Input Voltage	85-265VAC 50/60Hz
Max. Current	30A
Power Rating	6600W
Standby Power	0.5W
Working Temperature	0°C~55°C

Smart Switch+Temp.



ZAI-SSW-16-T

Type	Smart Switch+Temp
Input Voltage	85-250VAC 50/60Hz
Max. Current	16A
Power Rating	3680W
Standby Power	0.5W
Temperature Range	-50°C~125°C


Single Phase Clamp-1



ZAI-SPS-1-68

Type	Smart Phase Clamp
Input Voltage	100-240VAC 50/60Hz
Measuring Range	1x0.2~80A
Standby Power	0.5W
Working Temperature	0°C~60°C
Size	39,2*39,2*18mm

Single Phase Clamp-2



ZAI-SPS-2-68

Type	Smart Phase Clamp
Input Voltage	100-240VAC 50/60Hz
Measuring Range	2x0.2~80A
Standby Power	0.5W
Working Temperature	0°C~60°C
Size	39,2*39,2*18mm

